




MVB Power-Star Bearing Co.
 Url: www.mvbbearing.com
 Email: vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel: +86-592-523 0986
 Fax: +86-592-376 1975



One Felt Seal

Snap Ring
One Felt Seal


DEEP GROOVE BALL BEARINGS

MVB
No.

One Felt Seal	Snap Ring One Felt Seal	Dimensions				Approx. Wgt. (lbs.)	Interchange New Departure	
		(Metric)		(Inch)			One Felt Seal	Snap Ring One Felt Seal
		d	D	B	L			
8035	-	5	19	.3150	.4060	.023	8035	-
8036	-	6	19	.3150	.4060	.025	8036	-
8006	-	6	24	.3150	.4060	.048	8006	-
8037	-	7	22	.3150	.4060	.039	8037	-
8007	-	7	24	.3150	.4060	.047	8007	-
8038	-	8	22	.3150	.4060	.038	8038	-
8008	-	8	24	.3150	.4060	.044	8008	-
8039	-	9	26	.3150	.4060	.053	8039	-
8009	8009NR	9	30	.3540	.5000	.095	8009	-
8500	8500NR	10	30	.3540	.5000	.077	8500	-
8011	-	11	32	.3940	.5000	.101	8011	-
8501	8501NR	12	32	.3940	.5000	.097	8501	48501
8013	8013NR	13	32	.3940	.5000	.093	8013	48013
8014	8014NR	14	35	.4330	.5000	.115	8014	-
8502	8502NR	15	35	.4330	.5000	.108	8502	-
8016	8016NR	16	35	.4330	.5000	.105	8016	48016
8503	8503NR	17	40	.4720	.5630	.154	8503	48503
8504	8504NR	20	47	.5510	.6250	.237	8504	48504
8505	8505NR	25	52	.5910	.6250	.292	8505	48505
8026	8026NR	26	52	.5910	.6250	.282	8026	48026
8506	8506NR	30	62	.6300	.7870	.506	8506	48506
8507	8507NR	35	72	.6690	.8270	.708	8507	48507
8508	8508NR	40	80	.8270	.9450	1.070	8508	48508
8509	8509NR	45	85	.8270	.9450	1.200	8509	-
8510	8510NR	50	90	.8660	1.0240	1.300	8510	-
8511	8511NR	55	100	.9060	1.0630	1.640	8511	-
8512	8512NR	60	110	.9840	1.1420	2.160	8512	-
8513	8513NR	65	120	1.0240	1.2210	2.820	8513	-
8514	-	70	125	1.1020	1.2990	3.080	8514	-
8602	-	15	42	.5120	.5910	.190	8602	-
8603	8603NR	17	47	.5510	.6300	.210	8603	-
8604	8604NR	20	52	.5910	.7480	.440	8604	48604
8605	8605NR	25	62	.6690	.8270	.780	8605	48605
8606	8606NR	30	72	.7480	.9060	1.130	8606	48606
8607	8607NR	35	80	.8270	.9840	1.640	8607	48607
8608	8608NR	40	90	.9060	1.0630	2.060	8608	-
8609	8609NR	45	100	.9840	1.1810	3.000	8609	-



MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975




DEEP GROOVE BALL BEARINGS

MVB
 No.

One Shield One Felt Seal	Snap Ring One Shield One Felt Seal	Dimensions				Approx. Wgt. (lbs.)	Interchange New Departure	
		(Metric)		(Inch)			One Shield One Felt Seal	Snap Ring One Shield One Felt Seal
		d	D	B	L			
87035	-	5	19	.3150	.4060	.023	8035	-
87036	-	6	19	.3150	.4060	.025	8036	-
87006	-	6	24	.3150	.4060	.048	8006	-
87037	-	7	22	.3150	.4060	.039	8037	-
87007	-	7	24	.3150	.4060	.047	8007	-
87038	-	8	22	.3150	.4060	.038	8038	-
87008	-	8	24	.3150	.4060	.044	8008	-
87039	-	9	26	.3150	.4060	.053	8039	-
87009	87009NR	9	30	.3540	.5000	.095	8009	487009
87500	87500NR	10	30	.3540	.5000	.077	8500	487500
87011	-	11	32	.3940	.5000	.101	8011	-
87501	87501NR	12	32	.3940	.5000	.097	8501	487501
87013	87013NR	13	32	.3940	.5000	.093	8013	487013
87014	87014NR	14	35	.4330	.5000	.115	8014	487014
87502	87502NR	15	35	.4330	.5000	.108	8502	487502
87016	87016NR	16	35	.4330	.5000	.105	8016	487016
87503	87503NR	17	40	.4720	.5630	.154	8503	487503
87504	87504NR	20	47	.5510	.6250	.237	8504	487504
87505	87505NR	25	52	.5910	.6250	.292	8505	487505
87026	87026NR	26	52	.5910	.6250	.282	8026	487026
87506	87506NR	30	62	.6300	.7870	.506	8506	487506
87507	87507NR	35	72	.6690	.8270	.708	8507	487507
87508	87508NR	40	80	.8270	.9450	1.070	8508	487508
87509	87509NR	45	85	.8270	.9450	1.200	8509	-
87510	87510NR	50	90	.8660	1.0240	1.300	8510	487510
87511	87511NR	55	100	.9060	1.0630	1.640	8511	-
87512	87512NR	60	110	.9840	1.1420	2.160	8512	-
87513	87513NR	65	120	1.0240	1.2210	2.820	8513	-
87514	-	70	125	1.1020	1.2990	3.080	8514	-
87602	-	15	42	.5120	.5910	.190	8602	-
87603	87603NR	17	47	.5510	.6300	0.210	8603	487603
87604	87604NR	20	52	.5910	.7480	0.440	8604	-
87605	87605NR	25	62	.6690	.8270	0.780	8605	487605
87606	87606NR	30	72	.7480	.9060	1.130	8606	-
87607	87607NR	35	80	.8270	.9840	1.640	8607	-
87608	87608NR	40	90	.9060	1.0630	2.060	8608	-
87609	87609NR	45	100	.9840	1.1810	3.000	8609	487609



MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975




DEEP GROOVE BALL BEARINGS

Two Felt Seals	Snap Ring Two Felt Seals	Dimensions				Approx. Wgt. (lbs.)	Interchange New Departure	
		(Metric)		(Inch)			Two Felt Seals	Snap Ring Two Felt Seals
		d	D	B	L1			
88036	-	6	19	.3150	.4970	.027	88036	-
88006	-	6	24	.3150	.4970	.055	88006	-
88037	-	7	22	.3150	.4970	.043	88037	-
88007	-	7	24	.3150	.4970	.051	88007	-
88038	-	8	22	.3150	.4970	.040	88038	-
88008	-	8	24	.3150	.4970	.048	88008	-
88039	-	9	26	.3150	.4970	.057	88039	-
88009	88009NR	9	30	.3540	.6460	.105	88009	488009
88500	88500NR	10	30	.3540	.6460	.091	88500	488500
88011	88011NR	11	32	.3940	.6060	.104	88011	488011
88501	88501NR	12	32	.3940	.6060	.099	88501	488501
88013	88013NR	13	32	.3940	.6060	.095	88013	488013
88014	88014NR	14	35	.4330	.5670	.125	88014	488014
88502	88502NR	15	35	.4330	.5670	.119	88502	488502
88016	88016NR	16	35	.4330	.5670	.114	88016	488016
88503	88503NR	17	40	.4720	.6530	.116	88503	488503
88504	88504NR	20	47	.5510	.6990	.259	88504	488504
88505	88505NR	25	52	.5910	.6590	.304	88505	488505
88026	88026NR	26	52	.5910	.6590	.294	88026	488026
88506	88506NR	30	62	.6300	.9450	.571	88506	488506
88507	88507NR	35	72	.6690	.9840	.765	88507	488507
88107	-	35	72	.6690	.9840	.765	88107A	-
88128	-	38.8920	80	.8270	1.0830	1.060	88128	-
88508	88508NR	40	80	.8270	1.0630	1.180	88508	488508
88509	88509NR	45	85	.8270	1.0630	1.220	88509	488509
88510	88510NR	50	90	.8660	1.1810	1.400	88510	488510
88511	88511NR	55	100	.9060	1.2200	1.780	88511	-
88512	88512NR	60	110	.9840	1.2990	2.340	88512	-
88513	88513NR	65	120	1.0240	1.4170	3.050	88513	-
88514	-	70	125	1.1020	1.4960	3.340	88514	-
88602	88602NR	15	42	.5120	.6690	.250	88602	488602
88603	88603NR	17	47	.5510	.7090	.300	88603	488603
88604	88604NR	20	52	.5910	.9050	.440	88604	488604
88605	88605NR	25	62	.6690	.9840	.780	88605	488605
88606	88606NR	30	72	.7480	1.0630	1.130	88606	488606
88607	88607NR	35	80	.8270	1.1420	1.640	88607	488607
88608	88608NR	40	90	.9060	1.2200	2.066	88608	488608
88609	88609NR	45	100	.9840	1.3780	3.000	88609	488609



MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mavbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975



DEEP GROOVE BALL BEARINGS


MVB No.	Dimensions	Approx. Wgt. (lbs.)	Interchange New Departure		
			One Felt Seal	One Shield One Felt Seal	
One Felt Seal	(Metric)	(Inch)	One Felt Seal	One Shield One Felt Seal	
One Shield One Felt Seal	d D	B L	One Felt Seal	One Shield One Felt Seal	
WC8035	WC87035	5 19	.406 .406	.031	WC8035 WC87035
WC8036	WC87036	6 19	.406 .406	.033	WC8036 WC87036
WC8006	WC87006	6 24	.406 .406	.056	WC8006 WC87006
WC8037	WC87037	7 22	.406 .406	.040	WC8037 WC87037
WC8007	WC87007	7 24	.406 .406	.047	WC8007 WC87007
WC8038	WC87038	8 22	.406 .406	.038	WC8038 WC87038
WC8008	WC87008	8 24	.406 .406	.047	WC8008 WC87008
WC8039	WC87039	9 26	.406 .406	.056	WC8039 WC87039
WC8009	WC87009	9 30	.500 .500	.098	WC8009 WC87009
WC8500	WC87500	10 30	.500 .480	.090	WC8500 WC87500
WC8011	WC87011	11 32	.500 .480	.100	WC8011 WC87011
WC8501	WC87501	12 32	.500 .480	.090	WC8501 WC87501
WC8013	WC87013	13 32	.500 .480	.090	WC8013 WC87013
WC8014	WC87014	14 35	.500 .480	.120	WC8014 WC87014
WC8502	WC87502	15 35	.500 .480	.120	WC8502 WC87502
WC8016	WC87016	16 35	.500 .480	.110	WC8016 WC87016
WC8503	WC87503	17 40	.563 .538	.210	WC8503 WC87503
WC8504	WC87504	20 47	.625 .600	.270	WC8504 WC87504
WC8505	WC87505	25 52	.625 .600	.290	WC8505 WC87505
WC8026	WC87026	26 52	.625 .600	.280	WC8026 WC87026
WC8506	WC87506	30 62	.787 .748	.510	WC8506 WC87506
WC8507	WC87507	35 72	.827 .787	.780	WC8507 WC87507
WC8508	WC87508	40 80	.945 .945	1.070	WC8508 WC87508
WC8509	WC87509	45 85	.945 .945	1.200	WC8509 WC87509
WC8510	WC87510	50 90	1.024 1.024	1.270	WC8510 WC87510
WC8511	WC87511	55 100	1.063 1.063	1.640	- -
WC8603	WC87603	17 47	.630 .630	.250	WC8603 WC87603
WC8604	WC87604	20 52	.748 .748	.480	WC8604 WC87604
WC8605	WC87605	25 62	.827 .827	.820	WC8605 WC87605

NOTE:

1.) Width dimensions may vary between manufacturers.



MVB Power-Star Bearing Co.
 Url:www.mvbbearing.com
 Email:vivy@mvbbearing.com
 mvbbearing@gmail.com
 Tel:+86-592-523 0986
 Fax:+86-592-376 1975



DEEP GROOVE BALL BEARINGS - TWO FELT SEALS

MVB No.	Interchange	Approx. Wgt. (lbs.)	New Departure
Two Felt Seals	Snap Ring Two Felt Seals	L1	Two Felt Seals
WC88035	-	.4970	WC88035
WC88036	-	.4970	WC88036
WC88006	-	.4970	WC88006
WC88037	-	.4970	WC88037
WC88007	-	.4970	WC88007
WC88038	-	.4970	WC88038
WC88008	-	.4970	WC88008
WC88039	-	.4970	WC88039
WC88009	-	.6457	WC88009
WC88500	-	.6457	WC88500
WC88011	-	.6063	WC88011
WC88501	-	.6063	WC88501
WC88013	-	.6063	WC88013
WC88014	-	.5669	WC88014
WC88502	WC88502NR	.5669	WC88502
WC88016	WC88016NR	.5669	WC88016
WC88503	-	.6536	WC88503
WC88504	WC88504NR	.6988	WC88504
WC88505	WC88505NR	.6594	WC88505
WC88026	WC88026NR	.6594	WC88026
WC88506	WC88506NR	.9449	WC88506
WC88507	WC88507NR	.9843	WC88507
WC88508	WC88508NR	1.0630	WC88508
WC88509	-	1.0630	WC88509
WC88510	-	1.1811	WC88510
WC88511	-	1.2205	-
WC88603	-	.7087	WC88603
WC88604	WC88604NR	.9055	WC88604
WC88605	-	.9843	WC88605